PATENT 674509-2045.1

AMENDMENT

Kindly amend the claims, without prejudice, without admission, without surrender of subject matter, and without any intention of creating any estoppel as to equivalents, as follows:

Please cancel claims 1-37 without prejudice, without admission, without surrender of subject matter and without any intention of creating any estoppel as to equivalents.

- A method of preparing a baked product having improved pore A Currently amended) homogeneity and reduced average pore diameter, the method comprising adding [the polypeptide according to claim 1] a polypeptide having lipase activity; wherein said polypeptide is a triacylglycerol hydrolysing enzyme; and wherein said polyppetide is capable of hydrolysing glycolipids that are normally present in a flour to the corresponding galactosyl monoglycerides, wherein said polypeptide is capable of hydrolysing at least 10% of galactosyl diglycerides normally present in a flour dough to monoglycerides.
 - 39. (Original) A method according to claim 38, wherein the dough does non contain added lipids.
- 40. (Original) A method according to claim 38, comprising adding to the dough the polypeptide in an amount that results in a reduction of the average pore diameter in the crumb of the bread made from the dough by at least 10%, relative to a bread which is made from a bread dough without addition of the polypeptide.
- 41. (Original) A method according to claim 38, comprising adding to the dough the polypeptide in an amount that results in an increase of the pore homogeneity in the crumb of the bread made from the dough by at least 5%, relative to a bread which is made from a bread dough without addition of the polypeptide.
- 42. (Original) A method according to claim 38, comprising adding to the dough the polypeptide in an amount that results in an increase of the gluten index in the dough of at least 5%, relative to

BL

PATENT 674509-2045.1

4. a dough without addition of the polypeptide, the gluten index being determined by means of a Glutomatic 2200 apparauts.

- 43. (Original) A method according to claim 38 wherein the polypeptide is added to the dough in an amount which is in the range of 5,000-30,000 lipase unites (LUS) per kg flour.
- 44. (Original) A method according to claim 38 wherein an emulsifier is added to the dough.
- 45. (Currently amended) A method of improving the stability of a gluten network in a dough, imparting improved pore homogeneity, reducing pore diameter of a baked product made from the dough or a combination thereof, comprising adding to the dough:
- a polypeptide [according to claim 1] wherein said polypeptide is capable of hydrolysing glycolipids that are normally present in a flour to the corresponding galactosyl monoglycerides, wherein said polypeptide is capable of hydrolysing at least 10% of galactosyl diglycerides normally present in a flour dough to monoglycerides; or,
- a polypeptide prepared by [a process according to claim 36] transforming a host cell with a recombinant DNA molecule comprising a nucleotide sequence coding for a polypeptide wherein said polypeptide is capable of hydrolysing glycolipids that are normally present in a flour to the corresponding galactosyl monoglycerides, wherein said polypeptide is capable of hydrolysing at least 10% of galactosyl diglycerides normally present in a flour dough to monoglycerides, the host cell being capable of expressing the nucleotide sequence coding for the polypeptide, cultivating the transformed host cell under conditions where the nucleotide sequence is expressed and harvesting the polypeptide.
- 46. (Currently amended) A method according to claim 45, wherein the gluten index in the dough is increased by at least 5%, relative to a dough which is made without addition of the polypeptide [according to claim 1] wherein said polypeptide is capable of hydrolysing glycolipids that are normally present in a flour to the corresponding galactosyl monoglycerides, wherein said polypeptide is capable of hydrolysing at least 10% of galactosyl diglycerides normally present in a flour dough to monoglycerides; or, wherein the polypeptide is prepared by [a process according to claim 36] transforming a host cell with a recombinant DNA molecule

PATENT 674509-2045.1

ent.

comprising a nucleotide sequence coding for a polypeptide wherein said polypeptide is capable of hydrolysing glycolipids that are normally present in a flour to the corresponding galactosyl monoglycerides, wherein said polypeptide is capable of hydrolysing at least 10% of galactosyl diglycerides normally present in a flour dough to monoglycerides, the host cell being capable of expressing the nucleotide sequence coding for the polypeptide, cultivating the transformed host cell under conditions where the nucleotide sequence is expressed and harvesting the polypeptide, the gluten index being determined by means of a Glutomatic 2200 apparatus.

47. (Currently amended) A dough improving composition comprising a [the] polypeptide wherein said polypeptide is capable of hydrolysing glycolipids that are normally present in a flour to the corresponding galactosyl monoglycerides, wherein said polypeptide is capable of hydrolysing at least 10% of galactosyl diglycerides normally present in a flour dough to monoglycerides, and at least one further conventional dough additive component, wherein the dough component is an ingredient other than water.

Please cancel claims 48 and 49 without prejudice, without admission, without surrender of subject matter and without any intention of creating any estoppel as to equivalents.

132 18

- 50. (Previously added) A method of preparing a dough comprising adding to dough ingredients an enzyme that hydrolizes compounds including a tridglyceride, a glycolipid, and a phospholipid.
- 51. (Previously added) A method for preparing bread comprising preparing a dough comprising adding to dough ingredients an enzyme that hydrolizes compounds including a tridglyceride, a glycolipid, and a phospholipid; and baking the dough.
- 52. (Previously added) A method for preparing bread comprising baking a dough prepared by adding to dough ingredients an enzyme that hydrolizes compounds including a tridglyceride, a glycolipid, and a phospholipid; and baking the dough.
- 53. (Previously added)

A dough prepared according to the method of claim 50.

PATENT 674509-2045.1

54. (Previously added) In a dough wherein the improvement comprises the dough including an enzyme that hydrolizes compounds including a tridglyceride, a glycolipid, and a phospholipid.